



garaga.com

Every detail guaranteed™

COMPLETE COLLECTION



Model Eastman E-21, 8' x 7', Claystone door and Ice White overlays, Panoramic 8 lite windows

TRADITIONAL

MODEL PATTERNS AND LAYOUTS

PRESTIGE (40 1/2" x 15")



AVAILABLE
SPRING 2016

Available for R-16 insulation.

9' x 7'



Prestige XL

16' x 7'



Prestige XL

Novatech

Match your Prestige garage door with an entry door from Novatech's Prestige Collection.

SHAKER (21" x 15")



AVAILABLE
SUMMER 2016

Available for R-16 insulation.

9' x 7'



Shaker CC

16' x 7'



Shaker CC

CLASSIC (21" x 13" and 40" x 13")




Available for R-16, R-12 and R-10 insulation. MIX layout is not available for R-6.6 insulation and non-insulated.

9' x 7'



Classic CC

16' x 7'



Classic CC



Classic MIX



Classic MIX



Classic XL



Classic XL



Model Standard+ Prestige XL, 9' x 8', Moka Brown, Cachet windows / Coordinated with Orleans entry door with Cachet stained glass from Novatech's Prestige Collection



Model Standard+ Shaker CC, 9' x 7', Black, Manchester windows



Model Standard+ Classic CC, 8' x 7', Ice White, Orion 4 lite windows

COLORS

STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown

Available for R-16, R-12, R-10 insulation. For R-6.6 insulation and non-insulated, all colors available except Dark Sand.

PREMIUM: Charcoal, Evergreen and Black

Available for R-16 insulation. R-10 insulation, Evergreen only.

WOOD EFFECT: American Walnut

Available for R-16 insulation.

CONTEMPORARY

MODEL PATTERNS AND LAYOUTS


VOG (40" x 1 1/4")



AVAILABLE
SPRING 2016

Available for R-16 insulation.

9' x 7'



Vog

Novatech


Match your Vog garage door with a Vog entry door from Novatech's Design Collection.

MODERNO (3/16" continuous lines)




Available for R-16 insulation. Moderno 2-bead layout only for R-12 insulation.

9' x 7'



Moderno multi

9' x 7'



Moderno 2 beads

GROOVED (1" continuous lines)




Available for R-16 and R-12 insulation.

9' x 7'



Grooved

FLUSH



Available for R-16, R-12 and R-10 insulation.

9' x 7'



Flush

COLORS

STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown

Available for R-16, R-12, R-10 insulation. For R-6.6 insulation and non-insulated, all colors available except Dark Sand.

PREMIUM: Charcoal, Evergreen and Black

Available for R-16 insulation. R-10 insulation, Evergreen only.

WINDOW LAYOUTS

Visit our site at garaga.com/windowlayouts to see all available possibilities.

Available for R-16 and R-12 insulation.



Left-side Harmony



Model Standard+ Vog, 10' x 7', Black, window layout: Left-side Harmony/Coordinated with Vog entry door from Novatech



Model Standard+ Moderno Multi, 16' x 7', Ice White, window layout: Left-side Harmony




Model Standard+ Flush, 10' x 7', Charcoal, Masterline windows Coordinated with entry door from Novatech, with Masterline glass

CARRIAGE HOUSE


MODEL PATTERNS AND LAYOUTS

NORTH HATLEY (19 3/4" x 15" grouped by 2 and 40 1/2" x 15") 9' x 7'



Available for R-16 and R-12 insulation. North Hatley SP layout only for R-10, R-6.6 and non-insulated.

SHAKER (8 1/2" x 14" grouped by 4)




AVAILABLE
SUMMER 2016

Available for R-16 insulation.

SHAKER-NH (40 1/2" x 15")



AVAILABLE
SUMMER 2016




Available for R-10, R-6.6 and non-insulated.

COLORS


STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown
Available for R-16, R-12, R-10 insulation. For R-6.6 insulation and non-insulated, all colors available except Dark Sand.

PREMIUM: Charcoal, Evergreen and Black
Available for R-16 insulation. R-10 insulation, Evergreen only.

WOOD EFFECT: American Walnut
Available for R-16 insulation.



FOR A CARRIAGE HOUSE LOOK, ADD DECORATIVE HARDWARE



TOWNSHIPS COLLECTION®

OVERLAY LAYOUTS



ARCH OVERLAY

Available for Eastman
E-11, E-12, E-13, E-21, E-22 and E-23



TRADITIONAL 9' x 7'



Eastman E-11



Eastman E-12

CONTEMPORARY 9' x 7'



Cambridge CL

CARRIAGE HOUSE 9' x 7'



Eastman E-21



Eastman E-22



Eastman E-13



Cambridge CM



Eastman E-23



Cambridge CS

COLORS

STANDARD: Ice White†, Desert Sand†, Claystone†, Dark Sand and Moka Brown

PREMIUM: Charcoal, Evergreen and Black

† Available overlay colors.

FOR A CARRIAGE HOUSE LOOK,
ADD DECORATIVE HARDWARE



Lis



Model Eastman E-13, 9' x 7', Ice White doors and overlays, Panoramic 4 vertical lite windows



Model Cambridge CM, 9' x 7', Ice White door and overlays, Panoramic 4 lite windows

SPECIALTY DOORS¹

CALIFORNIA FULL VISION DOOR THICKNESS: 1 3/4"

COLORS: White, Anodized and Black

TOP TECH TEXTURED STEEL THICKNESS: 1 3/4" POLYURETHANE R-16

MODEL PATTERNS AND LAYOUTS: 2 Grooves, 4 Grooves and Flush

COLOR: Tex White

H-TECH ALUMINUM THICKNESS: 1 3/4" POLYURETHANE R-16

MODEL PATTERNS AND LAYOUTS: Classic CC, 2 Grooves, 4 Grooves and Flush

COLORS: White, Nordic, Tundra, Terra Brown, Universal Brown and Heron Blue

¹ Consult garaga.com/specialty for all details on Specialty doors.




Model California, 16' x 7', Black aluminum frame, Satin glass

WINDOWS (21" x 13" or 40" x 13")

TYPES OF GLASS[†]



STAINED GLASS[†]



PRINTING PROCESS[†]



THERMACRYSTAL[†]



PLASTIC INSERTS[†]



For all available Williamsburg Inserts, visit garaga.com/inserts.

[†]Color of frame and inserts: White, Claystone, Desert Sand, Dark Sand, Brown, Black and Green. Charcoal: frame only.

ORION



This window has aluminum grids inserted between the two panes of glass.

Color of frame: White, Claystone, Desert Sand, Dark Sand, Brown, Black, Charcoal and Green.
Color of grids: White, Claystone, Desert Sand, Dark Sand, Brown and Black. Pewter comes available only with Orion 4 and 8 lites.

PANORAMIC (TOWNSHIPS COLLECTION ONLY)

Windows can only be installed in the top section.



The square widths vary depending on the design and size of the chosen door.

COORDINATES WITH **Novatech**

Garaga is proud to collaborate with entry door manufacturer, Novatech, so we can offer you products that go together perfectly. Visit garaga.com/novatech.

AVAILABILITIES BY MODEL

	Standard+ (R-16)	Acadia 138 ² (R-12)	Triforce (R-10) Dualforce (R 6,6) Uniforce (Non-insulated)	Townships Collection (R-16)	California	Top Tech (R-16) H-Tech (R-16)
Azur Glass	•					•
Masterline Glass	•					•
Clear Glass	•	•	•	•	•	•
Glue Chip Glass	•			•		•
Satin Glass	•			•	•	•
Thermacrystal	•					•
Printing Process	•					•
Stained Glass	•					•
Orion ¹	•	•				•
Plastic Inserts ²	•	•	•	•		•
Panoramic				•		
Tinted Glass, Fluted Polycarbonate					•	

NOTES:

¹Orion with 4 vertical lites and 6 lites are not available for Acadia 138.

²Williamsburg Inserts are not available for door sizes from of 11" to 15".

³Orion frame and grids are only available in White and Claystone for the Acadia 138.

SIZE	MODELS PATTERNS AND LAYOUTS
21" x 13"	Classic CC, Shaker CC
40" x 13"	Classic XL, Prestige XL, North Hatley SP, North Hatley LP, Shaker XS, Shaker-NH LP
21" x 13" and/or 40" x 13"	Classic MIX, Vog, Moderno Multi, Moderno 2 beads, Grooved, Flush

For all the available styles of windows and possible color combinations, visit garaga.com/designcentre.

3 STEPS TO CHANGE YOUR GARAGE DOOR

1 CHOOSE YOUR STYLE

Whatever style you desire, you will find it with Garaga. Consider the different possibilities of model patterns, layouts and windows on the other side of this brochure and make a choice from among the models of our 3 different looks.



2 CHOOSE YOUR COLOR

Whether you opt for a classic color or one more modern, choose one that blends well with the other exterior features of your home.

STANDARD	PREMIUM
 Ice White [†]	 Charcoal
 Desert Sand [†]	 Evergreen
 Claystone [†]	 Black
 Dark Sand	WOOD EFFECT
 Moka Brown	 American Walnut

Consult the Summary for availability of colors by model.

PREMIUM and WOOD EFFECT COLORS: low additional fees apply.
[†]Colors of overlays available for Township Collection garage doors.

 **GENTEK'S EQUIVALENT ALUMINUM CAPPING**

Ice White similar to Ice White #429
 Desert Sand similar to Almond #532
 Claystone similar to Pebble #559
 Dark Sand similar to Sable #547
 Moka Brown similar to Commercial Brown #562

Charcoal similar to Slate #523
 Evergreen similar to Bonneville Green #598
 Black similar to Black #525
 American Walnut: N/A

3 CHOOSE YOUR CONSTRUCTION

From among our varied garage door compositions, you are sure to find the insulation level (R value) and air infiltration performance (transfer of heat or cold between inside and outside) that you require.

R-16 AND R-12 THERMAL INSULATION

MODEL: TOWNSHIPS COLLECTION, STANDARD+, ACADIA 138, H-TECH AND TOP TECH

- INTERLOK™ JOINT**
 Located between sections, this joint blocks air infiltration due to its triple-contact weatherseal.
 Makes sections very strong as it is mechanically interlocked and not bonded.
- WOOD END BLOCKS**
 One of the most effective thermal breaks, they eliminate any transfer of cold or heat between materials.
- REINFORCED METAL PLATES**
 With 14-gauge thickness, they are used to solidly attach hinges, handles and operator bracket.
- HIGH-PERFORMANCE WEATHERSTRIPPING**
 Our weatherstripping ensures increased weathertightness and stays flexible through the coldest temperatures.
- POLYURETHANE**
 High-pressure injected foam provides R-16 thermal resistance for 1 3/4" doors or R-12 for 1 1/2" doors.
 Because it adheres to the section walls, it provides a high level of rigidity to the door.
- CONTINUOUS WOODGRAIN**
 Up close or at a distance, our embossed woodgrain finish is flawless and very refined.



-  **RUGGED & DURABLE**
-  **THERMALLY EFFICIENT**
-  **REFINED DESIGN**

R-10 THERMAL INSULATION

MODEL: TRIFORCE

- Polystyrene insulation** bonded to 2 steel panels and grooved to match the embossed panel for more strength.
- InterStop™ joints** prevent air infiltration and are firmly attached to sections.
- Wood end blocks** are one of the most effective thermal breaks.

R-6.6 INSULATION OR NON-INSULATED

MODELS: DUALFORCE AND UNIFORME

- 24-gauge galvanized steel** with a coat of baked-on paint for a high durability door.
- Polystyrene insulation** available as an option for an insulation value of R-6.6.


SUMMARY

MODELS	Townships Collection	Standard+	Acadia 138	Triforce	Dualforce	Uniforce
TECHNICAL FEATURES						
Insulation	R-16	R-16	R-12	R-10	R-6.6	Non-insulated
Thickness	2 3/8"	1 3/4"	1 3/8"	2"	2"	2"
Warranty	Lifetime (limited)	Lifetime (limited)	Lifetime (limited)	Lifetime (limited)	15 years (limited)	15 years (limited)
COLORS						
Standard	•	•	•	•	All except Dark Sand	All except Dark Sand
Premium	•	•		Evergreen only		
Wood effect		•				
MODEL PATTERNS AND LAYOUTS						
Eastman and Cambridge	•					
Prestige XL		•				
Shaker CC		•				
Shaker XS		•				
Shaker-NH LP				•		
Classic CC		•	•	•	•	•
Classic MIX		•	•	•		
Classic XL		•	•	•	•	•
Vog		•				
Moderno 2 beads		•	•			
Moderno Multi		•				
Grooved		•	•			
Flush		•	•	•		
North Hatley SP		•	•	•	•	•
North Hatley LP		•	•			

See all the possibilities by creating your garage door before buying it at garaga.com/designcentre



WHY HAVE MORE THAN 1.7 MILLION GARAGA DOORS BEEN INSTALLED SINCE 1983?



SUPERIOR PERFORMANCE

Get a product that exceeds your expectations. Our garage doors, inspired by Canada's severe weather, are **energy efficient** as they are first and foremost weathertight. They are **strong** and constructed with long-lasting components, rigorously selected to give a flawless finish, both up close and at a distance.



ONE OF THE LARGEST SELECTIONS IN THE INDUSTRY

With nearly **14,000 possible combinations**, you are sure to find the garage door you are looking for. Select style, color and much more by visiting garaga.com/designcentre. There, you can create and view online the perfect door to enhance your house and be assured you're making the best decision.



A PICTURE IS WORTH A THOUSAND WORDS

So that you can make an informed decision, all the options you want can be **quickly** calculated then presented to you in a **clear, illustrated quotation**. Once your garage door has been chosen, your quotation is automatically transmitted to our factory to be **precisely custom-crafted**.

Door Openers

LiftMaster®

Make your life easier by choosing a silent and durable LiftMaster door opener.

ELITE SERIES



- Ultra-quiet
- Drive system: belt or chain
- ¾ HP, power: AC or DC



- Ultra-quiet
- Drive system: jackshaft
- Power: DC

PREMIUM SERIES



- Quiet
- Drive system: belt or chain
- ¾ HP, power: AC or DC

USEFUL ACCESSORIES



KEYLESS AND WIRELESS ENTRY SYSTEM

- Open or close your garage door without using a remote control and program it with a 4-digit code.



MINI REMOTE CONTROL

- Perfect for purse or keychain


Consult garaga.com to view all available accessories.

myQ® Technology

allows you to access, activate and monitor your garage door opener for greater control and security of your home.



TAKE MEASUREMENTS



1) Measure existing door opening's width **A** and height **B** in feet and inches. This determines the size of door needed. Never base your measurements on the size of the existing door but on the door's opening instead.

2) Measure for sideroom, left side **C** and right side **D**.

- 6 inches is required on each side for installation of vertical track.
- Make sure no entry door will interfere with the horizontal track of the door.

3) Measure area labeled "headroom" **E**. Distance between the top of the door opening and the ceiling (or floor joist);

- 8 1/2" is required for standard extension spring.
- 12" is required for standard torsion spring.
- Add 2" more for electric opener.
- If you have restricted headroom, special hardware is available.

NOTE: If door height extends above the opening, the headroom measurement should be taken from the top of the top section to the ceiling.

4) Measure area labeled "backroom" **F**. Distance is measured from the garage door opening toward the back wall of the garage.

- Door height plus 28" is required.
- Additional backroom (door height + 48") may be required for installation of an automatic garage door opener.
- Make sure no lighting or other material will interfere with the door sections when moving.

Getting the opening ready

1) Make sure the size of the opening matches the size of the door.
For example: a door of 9' x 7' needs an opening of 9' wide by 7' high.

2) The position of the header and back jambs (2" x 6") are very important. The header must be flush with back jambs (on the same plane). The back jambs must be perpendicular, plumb and square

For more details, visit garaga.com/measures

YOUR GARAGA DOOR IN 3 STEPS



CHOOSE THE STYLE

So that your garage door is exactly what you want, choose from our traditional, contemporary and carriage house styles. Next, select your windows from among our many available models.



CHOOSE THE COLOR

To coordinate your garage door with your entry door, or to add an interesting element to the front of your home, choose one that pleases you from our stylish colors.



CHOOSE THE INSULATION

We offer 5 choices of thermal insulation. Select the one best suited to how you will use your garage.



8500 25th Avenue
Saint-Georges QC
G6A 1K5
Canada

418 227-9458
info@garaga.com
garaga.com

logo FSC



YOUR
GARAGA
DISTRIBUTOR